

THE EFFECT OF OVERWEIGHT ON BRONCHOSCOPY OUTCOME

Thesis

Submitted for partial fulfillment of master degree in

Chest Diseases and Tuberculosis

By

Ragy Mamdouh Ghaly

(M.B.B.Ch.)

Supervised by

Prof. Dr. Taher Abdel Hamid El-Naggar

Professor and head of department of Chest Diseases

Faculty of Medicine –Ain Shams University

Dr. Ashraf Mokhtar Madkour

Assistant Professor of Chest Diseases

Faculty of Medicine - Ain Shams University

Faculty of Medicine

Ain Shams University

2014

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

وَقُلْ رَبِّ
زِنِّي عَظِيمًا

صدق الله العظيم

سورة طه: آية (١١٤)

Acknowledgement

I would like to take this opportunity to express my profound gratitude and deep regard to **Prof. Taher El-Naggar, Professor of Chest Diseases, Faculty of Medicine Ain Shams University,** for his exemplary guidance, valuable feedback and constant encouragement.

I would also like to thank **Dr. Ashraf Madkour, Assistant Professor of Chest Diseases, Faculty of Medicine Ain Shams University,** for his great intimate help, guidance, support and advice.

I warmly thank and appreciate my family and my friends for their spiritual support in all aspects of my life.

Ragy Mamdouh Ghaly

List of Contents

Title	Page
▪ List of Contents	I
▪ List of Abbreviation	II
▪ List of Tables.....	IV
▪ List of Figures	0
▪ List of Tables.....	0
▪ Introduction.....	1
▪ Aim of the Work	3
▪ Review of Literature.....	4
○ Chapter I: Overweight	4
○ Chapter II: Bronchoscopy	12
▪ Patients and Methods	56
▪ Results.....	64
▪ Discussion	92
▪ Summary and Conclusion	99
▪ Recommendations	101
▪ References.....	102
▪ Arabic Summary	--

List of Abbreviations

BAL	Broncho Alveolar Lavage
BBLVR	Bronchoscopic Biological Lung Volume Reduction
BCG	Bacille Calmette-Guérin
BMI	Body mass index
BTS	British Thoracic Society
CAD	Coronary Heart Diseases
CT	Computed Tomography
EBUS	Ultrasound Guidance Endobroncheal Ultrasound
EBUS-TBNA	Ultrasound Guidance Endobroncheal Ultrasound Transbroncheal Needle Aspiration
ECG	Electro Cardiograph
ENB	Electromagnetic Navigation Bronchoscopy
FB	Foreign Body
FDA	Food and Drug Administration
Fev1	Forced Expiratory Volume In The First Second
FiO2	Fractionated Inspired Oxygen
FOB	Fiber-Optic Bronchoscope
FVC	Forced Vital Capacity
FVC	Forced Vital Capacity
HEPA	High Efficiency Particulateair Filter
ILDs	Interstitial Lung Diseases
INR	International Normalised Ratio
LMA	Laryngeal Mask Airway
MMC	Mitomycin

List of Abbreviations (Cont.)

Nd-YAG	Neodymium-Yattrium-Aluminum Garnet
NHANES	National Health and Nutrition Examination Survey
PDT	Photo-Dynamic Therapy
PITS	Post Intubation Tracheal Stenosis
PPLS	Peripheral Pulmonary Lesions
SaO2	Oxygen Saturation
T	Tumor
TB	Tuberculosis
TBNA	Transbroncheal Needle Aspiration
UAE	United Arab Emirates
UK	United Kingdom
USD	United States Dollars
VAS	Visual Analogue Scale
VB	Video Bronchoscope
WHO	World Health Organization

List of Tables

Table No.	Title	Page
Table (1):	Ranking of the prevalence of obesity in Arabic and nonArabic-speaking countries.....	7
Table (2):	The International BMI Classification of adult underweight	8
Table (3):	The type of bronchoscopy in overweight and non-overweight patients.....	64
Table (4):	BMI distribution in overweight and non-overweight patients as regard type of bronchoscopy performed.....	65
Table (5):	Sex and age distribution in overweight and non-overweight as regard flexible bronchoscopy.....	66
Table (6):	Sex and age distribution in overweight and non-overweight as regard rigid bronchoscopy.....	67
Table (7):	Smoking distribution in overweight and non-overweight as regard flexible bronchoscopy.....	68
Table (8):	Smoking distribution in overweight and non-overweight as regard rigid bronchoscopy.....	69
Table (9):	The distribution of comorbidities in overweight and non-overweight as regard flexible bronchoscopy.....	70

List of Tables (Cont.)

Table No.	Title	Page
Table (10):	The distribution of comorbidities in overweight and non-overweight as regard rigid bronchoscopy	71
Table (11):	Indications distribution in overweight and non-overweight as regard flexible bronchoscopy	72
Table (12):	Indications distribution in overweight and non-overweight as regard rigid bronchoscopy	73
Table (13):	Procedures distribution in overweight and non-overweight as regard flexible bronchoscopy	74
Table (14):	Procedures done distribution in overweight and non-overweight as regard rigid bronchoscopy	75
Table (15):	Route of intubation in overweight and non-overweight as regard flexible bronchoscopy	76
Table (16):	Route of intubation in overweight and non-overweight as regard rigid bronchoscopy	76
Table (17):	Visual analogue score for patient for pain and for bronchoscopist for difficulty of intubation	77

List of Tables (Cont.)

Table No.	Title	Page
Table (18):	The type of anesthesia and sedation usage in overweight and non-overweight as regard flexible bronchoscopy	78
Table (19):	Comparison between dose of local anesthesia and midazolam sedation in overweight and non-overweight as regard flexible bronchoscopy	79
Table (20):	Shifting from flexible to rigid bronchoscopy in overweight and non-overweight	81
Table (21):	Oxygen requirements during and post bronchoscopy in overweight and non-overweight as regard flexible bronchoscopy	82
Table (22):	Oxygen saturation before, during and after bronchoscopy in overweight and non-overweight as regard flexible bronchoscopy	83
Table (23):	Oxygen requirements post bronchoscopy in overweight and non-overweight as regard rigid bronchoscopy	84
Table (24):	Oxygen saturation before, during and after bronchoscopy in overweight and non-overweight as regard rigid bronchoscopy	85

List of Tables (Cont.)

Table No.	Title	Page
Table (25):	Duration of bronchoscopy in overweight and non-overweight as regard flexible and rigid bronchoscopy.....	86
Table (26):	Completion of bronchoscopy in overweight and non-overweight as regard flexible and rigid bronchoscopy.....	87
Table (27):	Goal achievement in overweight and non-overweight as regard flexible and rigid bronchoscopy	88
Table (28):	Transferal rate to higher care level after bronchoscopy in overweight and non-overweight as regard flexible and rigid bronchoscopy	89
Table (29):	Distribution of complication in overweight and non-overweight as regard flexible bronchoscopy	90
Table (30):	Distribution of complications in overweight and non-overweight as regard rigid bronchoscopy	91

List of Figures

Figure No.	Title	Page
Fig. (1):	Prevalence of obesity in different countries.....	5
Fig. (2):	Prevalence of obesity in Arabian countries in adult males and females.....	6
Fig. (3):	Gustav Killian	12
Fig. (4):	Delivery catheter f7of the first generation of endobronchial one-way valves	20
Fig. (5):	Zephyr (second generation) endobronchial one-way valve(left)First generation of endobronchial one-way valves Emphasys endobronchial valve (right)	21
Fig. (6):	Accessories used for sampling at bronchoscopy.....	35
Fig. (7):	VAS for pain. Zero indicates most unpleasant or awful while 10 indicates very tolerable.....	57
Fig. (8):	VAS for difficulty for the bronchoscopist. Zero indicates very difficult while 10 indicates very easy	57
Fig. (9):	Fiber optic bronchoscope Pentax-Japan.....	60
Fig. (10):	Rigid bronchoscope	61

List of Figures (Cont.)

Figure No.	Title	Page
Fig. (11):	Flexible bronchoscopy through a) an endotracheal tube with a swivel adaptor and b) the laryngeal mask airway	62
Fig. (12):	The type of bronchoscopy in overweight and non-overweight patients.....	64
Fig. (13):	BMI distribution in overweight and non-overweight patients as regard flexible bronchoscopy.....	65
Fig. (14):	BMI distribution in overweight and non-overweight patients as regard rigid bronchoscopy	65
Fig. (15):	Sex distribution in overweight and non-overweight as regard flexible bronchoscopy.....	66
Fig. (16):	Age distribution in overweight and non-overweight as regard flexible bronchoscopy.....	66
Fig. (17):	Sex distribution in overweight and non-overweight as regard rigid bronchoscopy.....	67
Fig. (18):	Age distribution in overweight and non-overweight as regard rigid bronchoscopy.....	67

List of Figures (Cont.)

Figure No.	Title	Page
Fig. (19):	Smoking distribution in overweight and non-overweight as regard flexible bronchoscopy	68
Fig. (20):	Smoking index distribution in overweight and non-overweight as regard flexible bronchoscopy	68
Fig. (21):	Smoking distribution in overweight and non-overweight as regard rigid bronchoscopy	69
Fig. (22):	Smoking index distribution in overweight and non-overweight as regard rigid bronchoscopy	69
Fig. (23):	The distribution of comorbidities in overweight and non-overweight as regard flexible bronchoscopy	70
Fig. (24):	The distribution of comorbidities in overweight and non-overweight as regard rigid bronchoscopy	71
Fig. (25):	Indications distribution in overweight and non-overweight as regard flexible bronchoscopy	72
Fig. (26):	Indications distribution in in overweight and non-overweight as regard rigid bronchoscopy	73
Fig. (27):	Procedures done distribution in overweight and non-overweight as regard flexible bronchoscopy	74

List of Figures (Cont.)

Figure No.	Title	Page
Fig. (28):	Procedures done distribution in overweight and non-overweight as regard rigid bronchoscopy	75
Fig. (29):	Visual analogue score for patient for pain (VAS P) and for bronchoscopist for difficulty of intubation (VAS B) (flexible only)	77
Fig. (30):	The type of anesthesia in overweight and non-overweight as regard flexible bronchoscopy	78
Fig. (31):	Sedation usage in overweight and non-overweight as regard flexible bronchoscopy	78
Fig. (32):	Distribution of lidocaine local anesthetic dose in overweight and non-overweight as regard flexible bronchoscopy	79
Fig. (33):	Midazolam sedation dosage distribution in overweight and non-overweight as regard flexible bronchoscopy	79
Fig. (34):	Shifting from flexible to rigid bronchoscopy in overweight and non-overweight as regard flexible bronchoscopy	81

List of Figures (Cont.)

Figure No.	Title	Page
Fig. (35):	Oxygen requirements during and post bronchoscopy in overweight and non-overweight as regard flexible bronchoscopy	82
Fig. (36):	Oxygen requirements post bronchoscopy in overweight and non-overweight as regard rigid bronchoscopy	84
Fig. (37):	Duration of bronchoscopy in overweight and non-overweight as regard flexible and rigid bronchoscopy.....	86
Fig. (38):	Completion of bronchoscopy in overweight and non-overweight as regard flexible and rigid bronchoscopy.....	87
Fig. (39):	Goal achievement in overweight and non-overweight as regard flexible and rigid bronchoscopy	88
Fig. (40):	Transferral rate to higher care level after bronchoscopy in overweight and non-overweight as regard flexible and rigid bronchoscopy	89
Fig. (41):	Distribution of morbidities in the study groups (flexible)	90
Fig. (42):	Distribution of morbidities overweight and non-overweight as regard rigid bronchoscopy	91