



شبكة المعلومات الجامعية

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

Ain Shams University Information Network  
جامعة عين شمس

شبكة المعلومات الجامعية

@ ASUNET



# شبكة المعلومات الجامعية التوثيق الالكتروني والميكروفيلم



شبكة المعلومات الجامعية

# جامعة عين شمس

التوثيق الالكتروني والميكروفيلم

## قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها  
علي هذه الأفلام قد أعدت دون أية تغيرات



## يجب أن

تحفظ هذه الأفلام بعيدا عن الغبار

في درجة حرارة من ١٥-٢٥ مئوية ورطوبة نسبية من ٢٠-٤٠%

To be Kept away from Dust in Dry Cool place of  
15-25- c and relative humidity 20-40%

# بعض الوثائق الأصلية تالفة



# بالرسالة صفحات لم ترد بالاصل

**GEOMORPHOLOGICAL AND  
GEOLOGICAL STUDIES ON  
BAHIG-BURG EL-ARAB AREA, NORTH  
OF THE WESTERN DESERT, EGYPT**

2492  
UP

*THESIS*

Submitted to the Faculty of Science,  
Alexandria University

**For the Degree of M. Sc. in Geology**

*By*

*Soheir Abdel-Wahed Nafi*

B. Sc. (1978)

*Supervised by*

Prof. Dr.

**H. F. Abdou**  
Professor of Geology

Dr.

**M. R. Mohamed**  
Assistant Prof. of Geology

**Geology Department  
Faculty of Science  
University of Alexandria**

**1995**

**GEOMORPHOLOGICAL AND  
GEOLOGICAL STUDIES ON  
BAHIG-BURG EL-ARAB AREA, NORTH  
OF THE WESTERN DESERT, EGYPT**

2492  
JP

***THESIS***

Submitted to the Faculty of Science,  
Alexandria University

**For the Degree of M. Sc. in Geology**

*By*

***Soheir Abdel-Wahed Nafi***

B. Sc. (1978)

*Supervised by*

Prof. Dr.

**H. F. Abdou**  
Professor of Geology

Dr.

**M. R. Mohamed**  
Assistant Prof. of Geology

**Geology Department  
Faculty of Science  
University of Alexandria**

**1995**

## ACKNOWLEDGEMENT

The author wishes to express her thanks to *Prof. Dr. A.M. Abd El Rehim* Head of Geology Department, Faculty of Science, Alexandria University for the facilities offered by him during the progress of this work.

The author is greatly indebted to *Prof. Dr. H.F. Abdou* and *Dr. M.R. Mohamed* of the Geology Department, Alexandria University for supervision, guidance during field work, constructive suggestions, fruitful discussions, encouragement, kindly reviewing the manuscript and help during all steps of the present work.

I wish to express my sincere gratitude to *Prof. Dr. F.A. El Nozahy*, Geology Department Alexandria University for his kindly help in the petrographic analysis and rock diagenesis.

Special thanks are due to *Dr. M. Rashid* Geology Department. Alexandria University who kindly helped in photographic preparations.

The author is deeply indebted to *Dr. M.A. Ragab*, National Research Center, Cairo, for measuring the petrophysical properties of some rock samples and valuable comments in this respect.

# Contents

CHAPTER	PAGE
ACKNOWLEDGEMENT	
I	Introduction.
	. Location of the project area. . . . . 1
	. Previous related work. . . . . 1
	. Scope of the present work. . . . . 8
	. Procedure of study. . . . . 9
	A- Field work and sampling. . . . . 9
	B- Directional analysis of cross bedding and joints. . . . . 9
	C- Laboratory work. . . . . 10
II	Geomorphologic aspects: . . . . . 15
III	Structural features. . . . . 25
IV	Geologic aspects: . . . . . 30
	A- Lithostratigraphy. . . . . 30
	B- Petrography and microfacies analysis. . . . . 33
	C- Chemical analysis. . . . . 42
	D- Petrophysical properties. . . . . 46
	E- Foraminiferal studies. . . . . 53
	F- Diagenesis. . . . . 60
V	Paleoenvironmental interpretation and geologic history. . . . . 65
VI	Summary and Conclusions. . . . . 73
	References. . . . . 79
	Arabic summary.

## List of tables

Table No.		Following Page.
1	Represents the field measurements of the cross bedding within the studied area. ....	26
2	Represents the direction (D) and length (L) of the lineations and their percentages within azimuthal classes of 10° at segment "A". ....	29
3	Represents the direction (D) and length (L) of the lineations and their percentages within azimuthal classes of 10° at segment "B". ....	29
4	Represents the direction (D) and length (L) of the lineations and their percentages within azimuthal classes of 10° at segment "C". ....	29
5	Represents the direction (D) and length (L) of the lineations and their percentages within azimuthal classes of 10° at segment "D". ....	29
6	Stratigraphic succession of the area of study at Bahig profile crossing the three studied ridges. ....	32
7	Modal analyses of carbonate rocks at El Der El Bahari ridge. ....	41
8	Modal analyses of carbonate rocks at Gebel Sawahel El Bahr ridge. ....	41
9	Modal analyses of carbonate rocks at Gebel Maryut ridge. ....	41
10	Chemical composition of the studied carbonate samples selected from the three studied riages. ....	45
11	Petrophysical properties of the studied carbonate samples of Gebel Sawahel El Bahr and Gebel Maryut ridges. ....	52
12	Distribution of the foraminiferal species in the different stratigraphic sections. ....	59
13	Schematic representation of stratigraphical sequence, facies and depositional environments of the Pleistocene succession at Bahig section crossing the three studied ridges. ....	72

## List of figures

Fig. No.		Following Page
1	Location map. ....	1
2	Generalized cross section from the Qattara depression to the Mediterranean Coast (After Shata, 1957). ....	2
3	Main geomorphic units at Maryut area (after Shata, 1961). ....	2
4	Geomorphic map showing slopes in the area between Burg El Arab and El Hammam (after Badawy, 1987). ....	2
5	Map showing modified northward extention of Marmarica Limestone Formation (after Shata, 1972). ....	3
6	A geological cross section at Burg El Arab adjacent to the project area. (after Shata, 1972). ....	3
7	A circuit for measuring the resistance of a limestone sample saturated with NaCl solution (after Ragab, 1978). ....	13
8	Geomorphological map of the area of study. ....	15
9	Areal distribution of major aquifers in the Western Desert of Egypt (after Diab, 1983). ....	20
10	Field photograph showing surface cavernous texture of the limestone, beside the hard silicified thin film capping the ridge (insoluble residue of surface solution). ....	22
11	Field photograph showing surface water pathways leading to solution of the bedrock (solution cavities). ....	22
(12: a,b)	Field photograph showing surface waterpaths "Rillen karren", Burg El-Arab area. ....	22
13	Field photograph showing cross fracture planes (almost jointing within the Pleistocene limestone), the solution along these fractures may form "Flachkarren", Bahig area. ...	22
14	Field photograph showing dissolution along vertical joint planes "Kluftkarren", Burg El Arab area. ....	22

15	Aerial photograph of the Gebel Maryut ridge showing surface waterpaths (gullys) and sinkholes. . . . .	22
16	Field photograph showing caverns within Gebel Sawahel El Bahr ridge. . . . .	24
17	Field photograph showing surface dissolution along bedding planes forming metric cavities. Hard silicified thin cover is also observed. . . . .	24
18	Field photograph showing a cave formed by side solution along the bedding planes within the area. . . . .	24
19	Field photograph showing natural bridge (inside view). . . . .	24
20	Field photograph showing a small cave at the foothill near vertical fracture planes. . . . .	25
21	Field photograph showing the planer cross bedding characterising the rocks within the project area. . . . .	25
22a	Pole diagram.	
b	Orientation diagram for the planes of cross bedding within the studied area showing two maxima represented by two mean planes (S1,S2). . . . .	26
23	Landsat-synthesized major fault block in the Nile Delta area (after El Nasharty, 1984). . . . .	27
24	Photolineations in part of the Nile Delta area (after El Nasharty, 1984) . . . . .	27
25	Field photograph showing a closer view of fracture cutting the Pleistocene oolitic limestone (Bahig area) . . . . .	27
26	Field photograph showing local minor (mesoscopic) fracture plane (normal to the ridge) and plenty of caverns formed by dissolution along bedding plane (near the fracture plane), Bahig area. . . . .	27
27	Lineation map, generalized map for aerial photograph of the area showing lineation traces and azimuth frequency diagrams that represent number percentage of lineation (N) and length percentage (L) of the corresponding four segments (A,B,C and B). . . . .	28

28	Sketch diagram illustrating the distribution of the studied microfacies along the three sections crossing the three studied ridges.. . . . . 33
29	Photomicrograph showing oosparite facies, black-cross of some ooids and drusy cement. (El Der El Bahari ridge, Bahig section, sample No. BD59. X89.. . . . . 34
30	Photomicrograph showing patchy micritized true-oid with concentric laminae surrounding two nuclei. El Der El Bahari ridge, sample No., MD2, X272.. . . . . 34
31	Photomicrograph showing relics of spary mosaic cement attached to the ooid grains, El Der El Bahari ridge, sample No. BD59, X 272.. . . . . 34
32	Potomicrograph showing pseudo-oomicrosparite facies, mouldic porosity and drusy filling cavity. Gebel Sawahel El Bahr ridge, sample No. BS24. X 89.. . . . . 34
33	Photomicrograph of pseudo-oomicrosparite facies showing granular mosaic cement, deformed ooids and micritized ooids. Gebel Sawahel El Bahr ridge, Bahig section, sample No. BS24. X 89.. . . . . 37
34	Photomicrograph showing sandybio-oomicrite facies, elongated fracture, mouldic porosity, fine micrite lamina and deformed ooids. Gebel Sawahel El Bahr ridge, Burg El-Arab section. Sample No. AS4. X 89.. . . . . 37
35	Photomicrograph showing pseudo-oosparite facies, some ooids with one lamina and others with foraminiferal shell in their nuclei. Gebel Maryut ridge, Bahig section. Sample No. BR12. X 89. . . . . 40
36	Photomicrograph showing sandyointrabio-microsparite facies, micritization, deformed ooids, drusy mosaic filling some skeletal cavities and fine micritic laminae. Gebel Maryut ridge, Burg El Arab section. Sample NO. AR1. X 89.. . . . . 40
37	Photomicrograph showing sandyointrabio-microsparite facies and bioclastic debris after recrystallization preserving gross details of original shell fabric. Gebel Maryut ridge, Burg El Arab section. Sample No. AR4. X 89.. . . . . 40
38	Frequency distribution of average rock constituents from west to east along the three studied ridges. . . . . 41

39	Ternary diagram showing the chemical composition of the studied carbonate samples.. . . . . 45
40	Binary diagram showing the relation between (A) MgO% and I.R%(B) MgO% and CaO% along the three studied ridges. . . 45
41	Binary diagram showing the relation between apparent electrical resistivity (Ro) and the effective porosity ( $\phi_e$ ). . . . . 49
42	Formation resistivity factor ( $F = R_o/R_w$ ) variation with the effective porosity ( $\phi_e$ ) at successive 3 cycles of saturation with NaCl A) 6000 B) 60000C) 120000 ppm.. . . . . 51
43	Diversity indices of three samples plotted on diagram by Murray (1973).. . . . . 58
44	Photomicrograph showing intrabiosparite facies, oomouldic porosity, aggrading, degrading neomorphism (micritization in algae fabric) and some ooids have irregular boundaries throughout the matrix. Acicular cement is also observed. Gebel Maryut ridge, Bahig section. Sample No. BR16. X 89.. . . . . 63
45	Photomicrograph showing intrabiosparite facies and micritized foraminiferal shells. Gebel Maryut ridge. Bahig section. Sample No. BR17. X 89.. . . . . 63
46	Photomicrograph showing fibrous and granular mosaic cement in oomouldic porosity, some small ooids with micritic cortex are observed. Gebel Maryut ridge, Bahig section. Sample No. BR5. X 89.. . . . . 63
47	Gradual development of generations of coastal ridges and sabkhas in area of study (Modified after Picha, 1978).. . . . . 72

# *CHAPTER I*

## **INTRODUCTION**