



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

بسم الله الرحمن الرحيم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

بسم الله الرحمن الرحيم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم



شبكة المعلومات الجامعية التوثيق الإلكتروني والميكروفيلم



MONA MAGHRABY



شبكة المعلومات الجامعية
التوثيق الإلكتروني والميكروفيلم

جامعة عين شمس التوثيق الإلكتروني والميكروفيلم

قسم

نقسم بالله العظيم أن المادة التي تم توثيقها وتسجيلها
علي هذه الأقراص المدمجة قد أعدت دون أية تغييرات



يجب أن

تحفظ هذه الأقراص المدمجة بعيدا عن الغبار



MONA MAGHRABY



Ain Shams University
Faculty of Dentistry
Department of Oral Medicine,
Periodontology, Diagnosis & Radiology

“Customized Titanium Mesh versus Titanium Reinforced Membrane in Localized Alveolar Ridge Augmentation with Simultaneously delayed implant placement” A Randomized clinical study

Thesis submitted in partial fulfilment of Master Degree in Oral Medicine,
Periodontology, and Oral Diagnosis.

Presented BY

Maha Saeed Ahmed Said Al shaikh

B.D.S. Faculty of Dentistry, Ain Shams University, 2011

Supervision

Prof. Dr. AHMED YOUSEF GAMAL

Professor of Oral Medicine, Periodontology and Oral Diagnosis

Faculty of Dentistry, Ain Shams University

Dean of Faculty of Dentistry, El Nahda University

Dr. AHMED ELSAYED HAMED AMR

Lecturer of Oral Medicine, Periodontology and Oral Diagnosis.

Faculty of Dentistry, Ain Shams University

FACULTY OF DENTISTRY

AIN SHAMS UNIVERSITY

2020

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

﴿يَرْفَعُ اللَّهُ الَّذِينَ آمَنُوا مِنْكُمْ وَالَّذِينَ أُوتُوا الْعِلْمَ دَرَجَاتٍ وَاللَّهُ

بِمَا تَعْمَلُونَ خَبِيرٌ﴾ سورة المجادلة: (11)

ACKNOWLEDGEMENT

Firstly, I would like to express my gratitude to Allah for this experience. I would like to express my deepest gratitude to **PROF DR. AHMED GAMAL**, (Professor of Oral Medicine, Periodontology and Oral Diagnosis, Faculty of Dentistry, Ain Shams University) for direction, guidance and uninterrupted supervision throughout the work and effort in this study.

Furthermore, I am massively grateful for the constant supervision, sincere help and immense observation administered by **DR. AHMED AMR** (Lecturer of Oral Medicine, Periodontology and Oral Diagnosis, Faculty of Dentistry, Ain Shams University).

Maha Saeed

Dedication

This Work Is Dedicated To

To My Mom and Dad...

The reason of what I become today. Whose affection, love, encouragement and prays of day and night make me able to get such success and honor.

To MY Beloved Husband...

Without your support and love, I Wouldn't be where I am today.

LIST OF FIGURES

	Page
Figure 1	50
(A) CBCT of missed upper left central (B), (C) preoperative clinical photo of missed upper left central.	
Figure 2	51
Woodpecker ultrasonic scaler.	
Figure 3	54
One vertical incision distal to the edentulous area.	
Figure 4	55
Full thickness flap reflection	
Figure 5	55
Neo Biotech dental implant system.	
Figure 6	56
The implant platform was 2_3 mm below cemento-enamel junction of neighboring teeth.	
Figure 7	56
Periapical radiograph of the initial drill.	
Figure 8	57
Primary stability of implant with insertion torque ≥ 30 .	
Figure 9	58
Implant dehiscence after implant placement.	
Figure 10	58
HYPRO-OSS Xenograft Particulate.	
Figure 11	59
Particulate xenograft covering the implant.	
Figure 12	59
Different cases showing particulate bone covering the exposed implant threads.	

Figure 13	60
CTi mesh in pack.	
Figure 14	60
CTi mesh covering the implant and bone particulate.	
Figure 15	61
CTi mesh fixed with cover screw, no need for additional fixation	
Figure 16	61
A, B, Cytoplast membrane in situ fixed with tacks distally and mesially.	
Figure 17	62
Cytoplast membrane in situ fixed with tack palatally.	
Figure 18	62
Tension free closure.	
Figure 19	62
Interrupted polypropylene suture.	
Figure 20	64
2 weeks post-operative follow up.	
Figure 21	65
Second surgery of the test group removing CTi mesh.	
Figure 22	65
Second surgery of the control group to remove cytoplast membrane and the tacks.	
Figure 23	67
CBCT at baseline.	
Figure 24	67
CBCT at 4 months.	
Figure 25	68
A, B Digital radiograph using paralleling technique. A, at zero day. B, at 4 months.	

Figure 26.....	70
A, B, Pre-operative photos showing missed upper right first premolar planned for delayed implant placement.	
Figure 27.....	70
Pre operative radiographical examination of the buccolingual width.	
Figure 28.....	71
A, B, Alveolar ridge of missed premolar after palato_crestal incision and one mesial vertical incision.	
Figure 29.....	71
Sequential drilling for implant placement	
Figure 30.....	72
Exposed implant threads (implant dehiscence).	
Figure 31.....	72
A,B, Bone particulate covering the exposed threads.	
Figure 32.....	73
A, B, Buccal and occlusal view of CTi mesh placed over the particulate and fixed with the cover screw of the implant.	
Figure 33.....	73
Flap closure by interrupted polypropylene suture.	
Figure 34.....	74
Alveolar crest level evaluation immediately after implant placement using digital periapical paralleling radiograph. (ACL ₁).	
Figure 35.....	74
Follow up and suture removal after 2 weeks.	
Figure 36.....	75
4 months follow up.	
Figure 37.....	75

	4 months radiographical evaluation of the buccolingual width.	
Figure 38		76
	Alveolar crest level evaluation after 4 months from implant placement using digital periapical paralleling radiograph. (ACL ₂).	
Figure 39		76
	Healing abutment placement after the second surgery.	
Figure 40		76
	Gingival healing 2 weeks after healing abutment.	
Figure 41		77
	Placement of Prosthetic crown of upper left first premolar.	
Figure 42		78
	A, B, Pre-operative photos showing missed upper left central incisor planned for delayed implant placement.	
Figure 43		78
	Pre operative radiographical examination of the buccolingual width.	
Figure 44		79
	A, B, Alveolar ridge of missed incisor after palato_crestal incision and one distal vertical incision.	
Figure 45		79
	A, paralleling pin shows the parallelism of the drilling with the adjacent teeth. B, motorized insertion of the implant.	
Figure 46		80
	Implant dehiscence after insertion.	
Figure 47		80
	A, Bone particulate covering the implant threads. B, C, Cytoplast membrane covering the bone particulate and the implant fixed by membrane tacks	
Figure 48		81
	Flap closure by interrupted polypropylene suture.	
Figure 49		81

Alveolar crest level evaluation immediately after implant placement using digital periapical paralleling radiograph. (ACL ₁).	
Figure 50	82
Follow up and suture removal after 2 weeks.	
Figure 51	82
4 months follow up.	
Figure 52	83
4 months radiographical evaluation of the buccolingual width.	
Figure 53	83
Alveolar crest level evaluation after 4 months from implant placement using digital periapical paralleling radiograph. (ACL ₂).	
Figure 54	84
A, B, C, Second surgery for removal of the membrane and the tacks.	
Figure 55	84
Healing abutment placement after the second surgery.	
Figure 56	85
Gingival healing 2 weeks after healing abutment.	
Figure 57	85
Placement of Prosthetic crown of upper left central incisor.	
Figure 58	88
Bar chart illustrating mean value of Buccolingual width in both groups.	
Figure 59	90
Bar chart illustrating mean value of pre-post difference of buccolingual width in both groups.	
Figure 60	90
Box plot illustrating value of pre-post percent change of buccolingual width in both groups.	
Figure 61	95
Box plot illustrating value of alveolar crestal level in both groups	